SAFETY DATA SHEET QUICK CONNECT SCREEN AND MULTIPURPOSE CLEANING WIPES (50 PAIR)

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of t	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	QUICK CONNECT SCREEN AND MULTIPURPOSE CLEANING WIPES (50 PAIR)
Product number	KF04503,ZP
Internal identification	ASMC100QCA/B
1.2. Relevant identified uses of	of the substance or mixture and uses advised against
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of	the safety data sheet
Supplier	INTERACTION Jean-Baptiste de Ghellincklaan 23, box 101 9051 Gent, BELGIUM +32 9 380 8248 +32 9 380 8249 info@interaction-connect.com
1.4. Emergency telephone number	
Emergency telephone	+ 32 93 80 82 48
SECTION 2: Hazards identification	
2.1. Classification of the subs	tance or mixture
Classification	
Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified
2.2. Label elements	
Hazard statements	EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, Chloromethylisothiazol-3-one and Methylisothiazol-3-one. May produce an allergic reaction.
Precautionary statements	P102 Keep out of reach of children.
2.3. Other hazards	
This product does not contain	any substances classified as PBT or vPvB.
SECTION 3: Composition/info	ormation on ingredients
3.2. Mixtures	
Composition comments	No classified ingredients, or those having occupational exposure limits, present above the levels of disclosure.
SECTION 4: First aid measures	
4.1. Description of first aid measures	
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway, Lesson tight elething such as caller, tip or belt

breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt.

Ingestion Rinse mouth thoroughly with water. Renove any dentures. Give a few small glasses of water or milk to drink. Stop if the affected person feels skk as vomiting may be dangerous. Do not and one milk to drink. Stop if the affected person feels skk as vomiting uness under the elected on feedical personen. If womiting occurs, the head should be kept low so that vomit does not enter the lungs. Never yie anything by mouth to an unconscious person. Maintain an open ainway. Losen tight clothing such as collar, tie or belt. Skin contact Remove affected person from source of contamination. Rinse immediately with plenty of water. Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Protection of first aiders First aid personnel should waer appropriate protective equipment during any rescue. 4.2. Most Important symptoms effects, both acute and delayed General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Indeation Gastrointestinal symptoms, including upset stomach. Furnes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Skin contact Prolonged contact may cause dryness of the skin. Eye contact May cause temporary eye irritation. Stop of the doctor Treat symptomatically. Specific treatments N		
water. Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. 4.2. Most important symptoms: and effects, both acule and delayed General information General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhelation Prolonged inhalation of high concentrations may damage respiratory system. Ingestion Gastrointestinal symptoms, including upset stomach. Furnes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Skin contact Prolonged contact may cause dryness of the skin. Eye contact May cause temporary eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Steeffic treatments No special treatment required. SectION 5: Firefighting media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water	Ingestion	or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an
apart. Continue to rinse for at least 10 minutes. Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue. 4.2. Most important symptoms and effects, both acute and delayed General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation Prolonged inhalation of high concentrations may damage respiratory system. Ingestion Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Skin contact Prolonged contact may cause dryness of the skin. Eye contact May cause temporary eye irritation. 4.3. Indication of any immediate- medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. Stitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsultable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Avoid breathing fire gases or vapours. 5.3. Advice fo	Skin contact	
4.2. Most important symptoms and effects, both acute and delayed General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation Prolonged inhalation of high concentrations may damage respiratory system. Ingestion Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Skin contact Prolonged contact may cause dryness of the skin. Eye contact May cause temporary eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. Stittable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Special hazards arising from the substance or mixture Special hazards arising from the substance or moluture Special hazards arising from the substance or wapours. Shatwill alcohol means include the following substances: harmful gases or vapours. 5.3. Advice for finefighters Avoid breathing fire gases or	Eye contact	
General information See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Inhalation Prolonged inhalation of high concentrations may damage respiratory system. Ingestion Gastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Skin contact Prolonged contact may cause dryness of the skin. Eye contact May cause temporary eye irritation. 4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting measures Solutable extinguishing media Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for fir	Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
described will vary dependent on the concentration and the length of exposure.InhalationProlonged inhalation of high concentrations may damage respiratory system.IngestionGastrointestinal symptoms, including upset stomach. Furnes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.Skin contactProlonged contact may cause dryness of the skin.Eye contactMay cause temporary eye irritation.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.Specific treatmentsNo special treatment required.SECTION 5: Firefighting mediaThe product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustionThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray do figheres with water until well after the fire is out. If a leak or spill has not igniled, use water spray to disperse vapours and protect me stopping the leak.Specific hozerVear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective explored to firefighters	4.2. Most important symptoms	and effects, both acute and delayed
IngestionGastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.Skin contactProlonged contact may cause dryness of the skin.Eye contactMay cause temporary eye irritation.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.Specific treatmentsNo special treatment required.SECTION 5: Firefighting measures5.1. Extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaConsume and the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustionProtective actions during firefightingProtective actions during firefightingSpecial protective equipment for firefightersVear positive-pressure self-contained breathing aparatus (SCBA) and appropriate protective ecloting. Firefighter's cloting conforming to European studard EN469 (including hemets,	General information	
Image: Contractbe inhaled, resulting in the same symptoms as inhalation.Skin contactProlonged contact may cause dryness of the skin.Eye contactMay cause temporary eye irritation.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.Specific treatmentsNo special treatment required.SECTION 5: Firefighting mediaThe product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect ment stopping the leak.Special protective equipmentKear positive-pressure self-contained preating apparatus (SCBA) and appropriate protective othing. Firefighter's clothing conforming to European standard EN469 (including helmets, othing. Firefighter's clothing conforming to European standard EN469 (including helmets, othing. Firefighter's clothing conforming to European standard EN469 (including helmets, othing. Firefighter's clothing conforming to European standard EN469	Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Eye contactMay cause temporary eye irritation.4.3. Indication of any immediate medical attention and special treatment neededNotes for the doctorTreat symptomatically.Specific treatmentsNo special treatment required.SECTION 5: Firefighting measure5.1. Extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaDo not use water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing media5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray and remove them from the fire area after is out. If a leak or spill has not ginited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Ingestion	
4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor Treat symptomatically. Specific treatments No special treatment required. SECTION 5: Firefighting measures Image: Section of any immedia Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Skin contact	Prolonged contact may cause dryness of the skin.
Notes for the doctorTreat symptomatically.Specific treatmentsNo special treatment required.SECTION 5: Firefighting measures5.1. Extinguishing mediaSuitable extinguishing mediaThe product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Eye contact	May cause temporary eye irritation.
Specific treatmentsNo special treatment required.SECTION 5: Firefighting measures5.1. Extinguishing mediaSuitable extinguishing mediaSuitable extinguishing mediaDo not use water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing media5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersProtective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefighters	4.3. Indication of any immediate medical attention and special treatment needed	
SECTION 5: Firefighting measures 5.1. Extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire. 5.2. Special hazards arising from the substance or mixture Specific hazards Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. 5.3. Advice for firefighters Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Notes for the doctor	Treat symptomatically.
5.1. Extinguishing mediaSuitable extinguishing mediaThe product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Specific treatments	No special treatment required.
Suitable extinguishing mediaThe product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing to European standard EN469 (including helmets,	SECTION 5: Firefighting meas	sures
powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.Unsuitable extinguishing mediaDo not use water jet as an extinguisher, as this will spread the fire.5.2. Special hazards arising for the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	5.1. Extinguishing media	
media5.2. Special hazards arising from the substance or mixtureSpecific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefighters Protective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Suitable extinguishing media	
Specific hazardsContainers can burst violently or explode when heated, due to excessive pressure build-up.Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	• •	Do not use water jet as an extinguisher, as this will spread the fire.
Hazardous combustion productsThermal decomposition or combustion products may include the following substances: Harmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	5.2. Special hazards arising fro	om the substance or mixture
productsHarmful gases or vapours.5.3. Advice for firefightersAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.
Protective actions during firefightingAvoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,		
firefightingwater spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak.Special protective equipment for firefightersWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	5.3. Advice for firefighters	
for firefighters clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,	_	water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use
protective boots and gloves) will provide a basic level of protection for chemical incidents.		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions 6.2. Environmental precautions	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage.
Environmental precautions	- Avoid discharge to the aquatic environment.
6.3. Methods and material for c	containment and cleaning up
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Reuse or recycle products wherever possible. Absorb spillage to prevent material damage. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
6.4. Reference to other section	<u>s</u>
Reference to other sections	For personal protection, see Section 8.
SECTION 7: Handling and stor	rage
7.1. Precautions for safe handl	ing
Usage precautions	Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	No specific recommendations.
Storage class	Unspecified storage.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Controls/personal protection	
8.1. Control parameters	
Ingredient comments	WEL = Workplace Exposure Limits
8.2. Exposure controls	

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Good general ventilation should be adequate to control worker exposure to airborne contaminants.

Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Not regarded as dangerous for the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic phys	9.1. Information on basic physical and chemical properties	
Appearance	Liquid.	
Colour	Colourless.	
Odour	Characteristic.	
рН	pH (concentrated solution): 5-7	
Initial boiling point and range	>100°C @	
Vapour pressure	2.33 kPa @ °C	
Relative density	1.000 @ @ 20°C	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and reactivity		
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	ical effects	
Toxicological effects	Not regarded as a health hazard under current legislation.	
Other health effects	There is no evidence that the product can cause cancer.	
Acute toxicity - oral Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
<u>Acute toxicity - dermal</u> Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	None of the ingredients are listed or exempt.	
Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity - single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	

General informationNInhalationPriIngestionGSkin contactPriEye contactMAcute and chronic healthNhazardschinRoute of entryIn	Based on available data the classification criteria are not met. No specific health hazards known. The severity of the symptoms described will vary lependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system. Bastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Prolonged contact may cause dryness of the skin. May cause temporary eye irritation. No specific health hazards known. No specific acute or chronic health impact noted, but this themical may still have adverse impact on human health, either in general or on certain ndividuals with pre-existing or latent health problems.
Aspiration hazard Basiling General information No Inhalation Pri Ingestion General information Skin contact Pri Eye contact Minimum Acute and chronic health Ni hazards chronic health Index of entry In Target organs Ni	No specific health hazards known. The severity of the symptoms described will vary lependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system. Bastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Prolonged contact may cause dryness of the skin. May cause temporary eye irritation. No specific health hazards known. No specific acute or chronic health impact noted, but this themical may still have adverse impact on human health, either in general or on certain
Inhalation Prince Ingestion G Skin contact Prince Eye contact M Acute and chronic health N hazards chronic health Route of entry In Target organs N	Rependent on the concentration and the length of exposure. Prolonged inhalation of high concentrations may damage respiratory system. Sastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Prolonged contact may cause dryness of the skin. May cause temporary eye irritation. No specific health hazards known. No specific acute or chronic health impact noted, but this themical may still have adverse impact on human health, either in general or on certain
IngestionGSkin contactPiEye contactMAcute and chronic healthNihazardschinRoute of entryInTarget organsNi	Bastrointestinal symptoms, including upset stomach. Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation. Prolonged contact may cause dryness of the skin. May cause temporary eye irritation. No specific health hazards known. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain
Skin contact Prince Eye contact M Acute and chronic health N hazards chronic health Route of entry In Target organs N	be inhaled, resulting in the same symptoms as inhalation. Prolonged contact may cause dryness of the skin. May cause temporary eye irritation. No specific health hazards known. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain
Eye contactMAcute and chronic health hazardsNAcute of entryInTarget organsN	May cause temporary eye irritation. No specific health hazards known. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain
Acute and chronic health Ninhazards chronic health ninhazards chronic health ninhazards	No specific health hazards known. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain
hazards ch in Route of entry In Target organs N	hemical may still have adverse impact on human health, either in general or on certain
Target organs N	
	ngestion Inhalation Skin and/or eye contact
SECTION 12: Ecological Informat	lo specific target organs known.
	ition
-	Not regarded as dangerous for the environment. However, large or frequent spills may have nazardous effects on the environment.
12.1. Toxicity	
Toxicity Ba	Based on available data the classification criteria are not met.
Acute toxicity - fish N	No information required.
Acute toxicity - aquatic Noise	lo information required.
Acute toxicity - aquatic plants N	lo information required.
Acute toxicity - No microorganisms	No information required.
12.2. Persistence and degradabili	lity
Persistence and degradability T	he degradability of the product is not known.
12.3. Bioaccumulative potential	
Bioaccumulative potential N	lo data available on bioaccumulation.
12.4. Mobility in soil Mobility N	lo data available.
12.5. Results of PBT and vPvB as	ssessment
12.6. Other adverse effects	his product does not contain any substances classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods	3
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste packaging should be collected for reuse or recycling. Incineration or landfill should only be considered when recycling is not feasible. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of the local water authority.
SECTION 14: Transport inform	ation
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
14.1. UN number	
Not applicable.	
14.2. UN proper shipping name	<u>)</u>
Not applicable.	
14.3. Transport hazard class(ea	<u>s)</u>
No transport warning sign requ	ired.
14.4. Packing group	
Not applicable.	
14.5. Environmental hazards	
Environmentally hazardous sub No.	ostance/marine pollutant
14.6. Special precautions for us	ser
Not applicable.	
14.7. Transport in bulk according	ng to Annex II of MARPOL73/78 and the IBC Code
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
SECTION 15: Regulatory inform	nation
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture
National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.

No. 716).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.
Guidance	Workplace Exposure Limits EH40.
Authorisations (Title VII Regulation 1907/2006)	No specific authorisations are known for this product.
Restrictions (Title VIII Regulation 1907/2006)	No specific restrictions on use are known for this product.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information	
Training advice	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
Issued by	Toni Ashford
Revision date	22/12/2015
Revision	2
SDS number	13512
Risk phrases in full	Not classified.
Hazard statements in full	EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE, Chloromethylisothiazol-3-one and Methylisothiazol-3-one. May produce an allergic reaction.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.