SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : LASERTONER ERSETZT HP W2033A M 2.1K Product code : KF11523.

1.2. Relevant identified uses of the substance or mixture and uses advised against Office printing

1.3. Details of the supplier of the safety data sheet

Registered company name : INTERACTION-CONNECT S.A.. Address : 296-298 route de Longwy.L-1940.Luxembourg.Luxembourg. Telephone : +32 9 380 82 48. Fax : . info@interaction-connect.com

1.4. Emergency telephone number : +352 8002 5500.

Association/Organisation : Centre antipoisons.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present a health hazard with the exception of possible occupational exposure thresholds (see paragraphs 3 and 8).

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

No labelling requirements for this mixture.

2.3. Other hazards

In use, may form flammable/explosive dust-air mixture.

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances> = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :

CAS 42405-40-3, <1.5%, classified H400, H228.1, H302, H410

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor. NEVER induce swallowing by an unconscious person.

4.1. description of first aid measures

In the event of splashes or contact with eyes :

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin :

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of swallowing :

Seek medical attention, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Retrieve the product by mechanical means (sweeping/vacuuming) : do not generate dust.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

7.1. Precautions for safe handling

Always wash hands after handling.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

No data available.

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Before handling powders or dust emission, wear mask goggles in accordance with standard EN166.

- Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

- Body protection

Work clothing worn by personnel shall be laundered regularly. After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Avoid inhaling dust.

Type of FFP mask : Wear a disposable half-mask dust filter in accordance with standard EN149/A1.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Physical state :	Powder or dust.
Colour Color	MAGENTA
Odour Odour threshold :	Not stated.
Melting point Melting point/melting range :	Not specified.

Freezing point / Freezing range : Not stated.	
Boiling point or initial boiling point and boiling range	
Boiling point/boiling range : Not specified	
FlammabilityFlammability (solid, gas) :Not stated.	
Lower and upper explosion limit Explosive properties, lower explosivity limit (%) : Not stated. Explosive properties, upper explosivity limit (%) : Not stated.	
Flash pointFlash point interval :Not relevant.	
Auto-ignition temperature Not specified	
Decomposition temperature Decomposition point/decomposition range : Not specified	
pH pH : Not relevant. pH (aqueous solution) : Not stated.	
Kinematic viscosityViscosity :Not stated.	
SolubilityInsoluble.Water solubility :Insoluble.Fat solubility :Not stated.	
Partition coefficient n-octanol/water (log value) Partition coefficient: n-octanol/water : Not stated.	
Vapour pressure Vapour pressure (50°C) : Not relevant.	
Density and/or relative density Density : > 1	
Relative vapour densityVapour density :Not stated.	
9.2. Other information No data available.	
9.2.1. Information with regard to physical hazard classes No data available.	
9.2.2. Other safety characteristics No data available.	

SECTION 10 : STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

- Avoid :
- formation of dusts

Dusts can form an explosive mixture with air.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 No data available. 11.1.1. Substances No toxicological data available for the substances. 11.1.2. Mixture Acute toxicity: Species: Rat LD50 > 2500 mg/kg Species: Rat LC50 > 5.19 mg/l Germ cell mutagenicity: Ames test (in vitro): Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12: ECOLOGICAL INFORMATION 12.1.7 oxicity 12.1.2. Mixtures Fish toxicity: No observed effect. LC50 > 100 mg/l Species: Daphnia magna Duration of exposure: 96 h Crustacean toxicity: No observed effect. ECC50 > 100 mg/l Species: Daphnia magna Duration of exposure: 96 h Algae toxicity: No observed effect. ECC50 > 100 mg/l Species: Daphnia magna Duration of exposure: 72 h NOEC = 100 mg/l Species: Pseudokirchnerella subcapitata Duration of exposure: 72 h NOEC = 100 mg/l Species: Pseudokirchnerella subcapitata L2.2. Persistence and degradability Species: Pseudokirchnerella subcapitata L2.2. Mixtures No data on decomposition is available, the mixture is not considered to decompose I	No data available.	
- carbon monoxide (CO) - carbon minoxide (CO2) SECTION 11 : TOXICOLOGICAL INFORMATION 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 No data available. 11.1.1 Substances No toxicological data available for the substances. 11.1.2. Mixture Acute toxicity: Species : Rat LDS0 > 2500 mg/kg Species : Rat LDS0 > 2500 mg/kg Species : Rat LDS0 > 5.19 mg/l Germ cell mutagenicity: Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. To Mixtures Fish toxicity: No observed effect. LCS0 > 100 mg/l Species : Oryzia latipes Duration of exposure : 96 h Crustacean toxicity: No observed effect. ECS0 > 100 mg/l Species : Drais latipes Duration of exposure : 48 h Algae toxicity: No observed effect. ECS0 > 100 mg/l Species : Drais latipes Duration of exposure : 48 h Algae toxicity: No observed effect. ECS0 > 100 mg/l Species : Pseudokirchnerelia subcapitata Duration of exposure : 27 h NOE: NOE: NOE: Species : Pseudokirchnerelia subcapitata Duration of exposure : 72 h NOE: NOE: No data on decomposition is available, the mixture is not considered to decompose		
- carbon dioxide (CO2) SECTION 11: TOXICOLOGICAL INFORMATION 11.1.Information on hazard classes as defined in Regulation (EC) No 1272/2008 No data available. 11.1.1 Substances No toxicological data available for the substances. 11.1.2 Mixture Acute toxicity: Species : Rat LDS0 > 2500 mg/kg Species : Rat LDS0 > 2500 mg/kg CSD0 = 0CDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.2 Mixtures Fish toxicity : No observed effect. LCS0 > 100 mg/l Species : Onyclas taipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. ECS0 > 100 mg/l Species : Daphini magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECS0 > 100 mg/l Species : Daphini magna Duration of exposure : 72 h NOCE = 100 mg/l Species : Desudokirchnerelia subcapitata Duration of exposure : 72 h NOCE = 100 mg/l Species : Pseudokirchnerelia subcapitata Spe	· ·	e/form :
SECTION 11 : TOXICOLOGICAL INFORMATION 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 No data available. 11.1.1.3. Misture Acute toxicological data available for the substances. 11.1.2. Misture Acute toxicity: Species : Rat LDS0 > 2500 mg/kg Species : Rat LCS0 > 5.19 mg/t Germ cell mutagenicity : Ames test (in vitro) : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1. A Mixtures Fish toxicity : No observed effect. LCS0 > 100 mg/t Species : Dryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. ECS0 > 100 mg/t Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/t Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/t 12.2. Persistence and degradability T2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose		
11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 No totat available. 11.1.1. Substances No toxicological data available for the substances. 11.1.2. Mixture Acute toxicity: Species: Rat LDS0 > 2500 mg/kg Species: Rat LCS0 > 5.19 mg/l Germ cell mutagenicity: Ames test (in vitro): Negative. OCDE 471 (Reverse mutation test bacteria). 11.1. Information on other hazards SECTION 12: ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.2. Mixtures Fish toxicity: No observed effect. LC50 > 100 mg/l Species: Daphnia magna Duration of exposure: 96 h Crustacean toxicity: No observed effect. EC FOS > 100 mg/l Species: Daphnia magna Duration of exposure: 96 h Algae toxicity: No observed effect. EC FOS > 100 mg/l Species: Daphnia magna Duration of exposure: 96 h Algae toxicity: No observed effect. EC FOS > 100 mg/l Species: Daphnia magna Duration of exposure: 72 h NOEC = 100 mg/l Species: Pseudokirchnerella subcapitata Duration of exposure: 72 h NOEC = 100 mg/l Species: Pseudokirchnerella subcapitata 12.2. Persistence and degradability Species : Pseudokirchnerella subcapitata Biodegradation : No data on decomposition is available, the mixture is not considered to decompose is		
No data available. 11.1.1 Substances No toxicological data available for the substances. 11.1.2. Mixture Acute toxicity : Species : Rat LC50 > 5.09 mg/lg Species : Rat LC50 > 5.19 mg/l Germ cell mutagenicity : Ames test (in vitro) : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1. Toxicity 12.1.2. Mixtures Fish toxicity : Crustacean toxicity : No observed effect. ECr60 > 100 mg/l Species : Dryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. ECr60 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Daphnia magna Duration of exposure : 72 h No CE = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata	ECTION 11 : TOXICOLOGICAL INFORM	IATION
11.1.1. Substances No toxicological data available for the substances. 11.1.2. Mixture Acute toxicity: Species : Rat LD50 > 2500 mg/kg Species : Rat LC50 > 5.19 mg/l Germ cell mutagenicity : Ames test (in vitro) : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards Section 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Orgias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Orgias latipes Duration of exposure : 48 h Algae toxicity : No observed effect. EC750 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2. Mixtures Biodegradation :		s defined in Regulation (EC) No 1272/2008
No toxicological data available for the substances. 11.1.2. Mixture Acute toxicity: Species : Rat LD50 > 2500 mg/kg Species : Rat LC50 > 5.19 mg/l Germ cell mutagenicity: Ames test (in vitro): Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.2. Mixtures Fish toxicity: No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity: No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity: No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity: No observed effect. EC30 > 100 mg/l Species : Daphnia magna Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerelia subcapitata LUTION of EXPOSURE : Pseudokirchnerelia subcapitata L2.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose		
11.1.2. MixTure Acute toxicity : Species : Rat LD50 > 2500 mg/kg Species : Rat LD50 > 5.19 mg/l Gern cell mutagenicity : Ames test (in vitro) : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50> 100 mg/l Species : Daphnia magna Duration of exposure : 96 h Algae toxicity : No observed effect. EC50> 100 mg/l Species : Daphnia magna Duration of exposure : 26 h Algae toxicity : No observed effect. EC50> 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata		
Acute toxicity: Species: Rat LD50 > 2500 mg/kg Species: Rat LC50 > 5.19 mg/l Germ cell mutagenicity : Megative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species: Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species: Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose	-	substances.
Species: Rat LD50 > 2500 mg/kg Species: Rat LC50 > 5.19 mg/l Germ cell mutagenicity : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1. Toxicity Pish toxicity : No observed effect. LC50 > 100 mg/l Species: Orzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species: Orzias latipes Duration of exposure : 48 h Algae toxicity : No observed effect. EC70 > 100 mg/l Species: Orzian latipes Duration of exposure : 72 h NO observed effect. EC750 > 100 mg/l Species: Pseudokirchnerella subcapitata Duration of exposure : 72 h NO CEC = 100 mg/l Species: Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose		
LD50 > 2500 mg/kg Species : Rat LC50 > 5.19 mg/l Germ cell mutagenicity : Ames test (in vitro) : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC750 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC750 > 100 mg/l Species : Desudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Desudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l	Acute toxicity :	Species · Rat
LC50 > 5.19 mg/l Germ cell mutagenicity : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards OCDE 471 (Reverse mutation test bacteria). SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity SECTION 12 : ECOLOGICAL INFORMATION 12.1.2. Mixtures No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50> 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC750 > 100 mg/l Species : Pseudokirchnerelia subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerelia subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose to		LD50 > 2500 mg/kg
Germ cell mutagenicity : Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzlas latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 96 h Algae toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 2.2. Persistence and degradability 12.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decomposed		
Ames test (in vitro): Negative. OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1.1 Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOECE = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decomposed	Gorm cell mutagenicity :	LC50 > 5.19 mg/i
OCDE 471 (Reverse mutation test bacteria). 11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 96 h Algae toxicity : No observed effect. EC760 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOECE = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOECE = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOECE = 100 mg/l Species : Pseudokirchnerella subcapitata Duration is available, the mixture is not considered to decompose to the provide to the provideto to the provide to the provide to the provide to the		
11.2. Information on other hazards SECTION 12 : ECOLOGICAL INFORMATION 12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC700 > 100 mg/l Species : Daphnia magna Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose to the subcapitata is not considered to decompose to the subcapitata is not considered to decompose to the subcapitata	Ames test (in vitro) :	
12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC750 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose to the decompose to	11.2. Information on other hazards	OCDE 4/ I (Reverse mutation test bacteria).
12.1. Toxicity 12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC750 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose to the decompose to		
12.1.2. Mixtures Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. EC750 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures No data on decomposition is available, the mixture is not considered to decompose to		ION
Fish toxicity : No observed effect. LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures No data on decomposition is available, the mixture is not considered to decompose to decompose to the compose to t	-	
LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose it		
Species : Oryzłas latipes Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures No data on decomposition is available, the mixture is not considered to decompose it	12.1.2. Mixtures	
Duration of exposure : 96 h Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose it		
Crustacean toxicity : No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h No data on decomposition is available, the mixture is not considered to decompose to		LC50 > 100 mg/l
EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose it		LC50 > 100 mg/l Species : Oryzias latipes
Species : Daphnia magna Duration of exposure : 48 h Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures No data on decomposition is available, the mixture is not considered to decompose of the state of	Fish toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h
Algae toxicity : No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability Species : Pseudokirchnerella subcapitata Biodegradation : No data on decomposition is available, the mixture is not considered to decompose of the second seco	Fish toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect.
ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose it	Fish toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna
ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose in	Fish toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna
Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose it	Fish toxicity : Crustacean toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h
NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose it	Fish toxicity : Crustacean toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l
Species : Pseudokirchnerella subcapitata 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose it	Fish toxicity : Crustacean toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata
12.2.2. Mixtures Biodegradation : No data on decomposition is available, the mixture is not considered to decompose	Fish toxicity : Crustacean toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l
Biodegradation : No data on decomposition is available, the mixture is not considered to decompose	Fish toxicity : Crustacean toxicity : Algae toxicity :	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l
•	Fish toxicity : Crustacean toxicity : Algae toxicity : 12.2. Persistence and degradability	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l
12.3. Bioaccumulative potential	Fish toxicity : Crustacean toxicity : Algae toxicity : 12.2. Persistence and degradability	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l
-	Fish toxicity : Crustacean toxicity : Algae toxicity : 12.2. Persistence and degradability 12.2.2. Mixtures	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l Species : Pseudokirchnerella subcapitata
No data available.	Fish toxicity : Crustacean toxicity : Algae toxicity : 12.2. Persistence and degradability 12.2.2. Mixtures Biodegradation : 12.3. Bioaccumulative potential	LC50 > 100 mg/l Species : Oryzias latipes Duration of exposure : 96 h No observed effect. EC50 > 100 mg/l Species : Daphnia magna Duration of exposure : 48 h No observed effect. ECr50 > 100 mg/l Species : Pseudokirchnerella subcapitata Duration of exposure : 72 h NOEC = 100 mg/l

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Endocrine disrupting properties

No data available.

12.7. Other adverse effects

No data available.

SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

-

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

Container information:

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/substances-restricted-under-reach.

Particular provisions :

No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Abbreviations and acronyms :

LD50 : The dose of a test substance resulting in 50% lethality in a given time period.

LC50 : The concentration of a test substance resulting in 50% lethality in a given period.

EC50 : The effective concentration of substance that causes 50% of the maximum response.

ECr50 : The effective concentration of substance that causes 50% reduction in growth rate.

NOEC : The concentration with no observed effect.

REACH : Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.